

## RD/SD Deadbolt



RD Series Deadbolt



SD Series Deadbolt

**Application**

For residential or light-duty commercial application.

**Material**


Solid Casted Stainless Steel Outside and Inside Escutcheons

**Finish**

Satin  
Stainless Steel  
(US32D)




Bright Polished  
Stainless Steel  
(US32)



Oil Rubbed Bronze  
on Stainless Steel  
(US10B)




**Specification**

- Door Thickness: 1-3/4" (44mm) standard  
Thin door and thick door kits available.
- Backset: 2-3/8" (60mm) standard  
2-3/4" (70mm) optional
- Cylinder & Keys: Schlage C Keyway  
Cylinder 5-pin with 2 keys.  
Keying service available.
- Deadbolt: 1" throw with hardened roller pin
- Fully concealed fixing: M5 Thru-bolts
- UL fire rated deadbolt available.

**Door Preparation**

Please go to: <http://www.unisonhardware.com/resources>  
for the latest door preparation templates and installation instructions.



**Functions**

-  RD110/SD310 Single Cylinder Deadbolt  
Key outside or thumb-turn inside retracts deadbolt.
-  RD120/SD320 Double Cylinder Deadbolt  
Deadbolt operated by key from either side.
-  RD192/SD392 Communicating Deadbolt  
Deadbolt operated by thumb-turn from inside only;  
blind rose on the outside.

Backset	Function	Item No.
2-3/8" (60mm)	Single Cylinder	RD110B6-finish
2-3/8" (60mm)	Double Cylinder	RD120B6-finish
2-3/8" (60mm)	Communicating	RD192B6-finish
2-3/4" (70mm)	Single Cylinder	RD110B7-finish
2-3/4" (70mm)	Double Cylinder	RD120B7-finish
2-3/4" (70mm)	Communicating	RD192B7-finish

Backset	Function	Item No.
2-3/8" (60mm)	Single Cylinder	SD310B6-finish
2-3/8" (60mm)	Double Cylinder	SD320B6-finish
2-3/8" (60mm)	Communicating	SD392B6-finish
2-3/4" (70mm)	Single Cylinder	SD310B7-finish
2-3/4" (70mm)	Double Cylinder	SD320B7-finish
2-3/4" (70mm)	Communicating	SD392B7-finish

**Thin Door Kits**

Illustration	Thin Door Kits	Item Code
	1-3/8" Door Thickness for RD deadbolt	ECIXR20-32D ECIXR20-32 ECIXR20-10B
	1-3/8" Door Thickness for SD deadbolt	ECIXS40-32D ECIXS40-32 ECIXS40-10B

**GD/HD Deadbolt**


GD Series Deadbolt



HD Series Deadbolt

**Application**


For residential or light-duty commercial application.

**Material**

Solid Casted Stainless Steel Outside Escutcheon and Wrought Stainless Steel Inside Escutcheon


**Finish**

 Satin  
Stainless Steel  
(US32D)

 Bright Polished  
Stainless Steel  
(US32)

 Oil Rubbed Bronze  
on Stainless Steel  
(US10B)

**Specification**

- Door Thickness: 1-3/4" (44mm) standard  
Thin door and thick door kits available.
- Backset: 2-3/8" (60mm) standard  
2-3/4" (70mm) optional
- Cylinder & Keys: Schlage C Keyway  
Cylinder 5-pin with 2 keys.  
Keying service available.
- Deadbolt: 1" throw with hardened roller pin
- Fully concealed fixing: M5 Thru-bolts
- UL fire rated deadbolt available.

**Door Preparation**

 Please go to: <http://www.unisonhardware.com/resources>  
for the latest door preparation templates and installation instructions.

**Functions**

- GD110/HD310 Single Cylinder Deadbolt  
Key outside or thumb-turn inside retracts deadbolt.
- GD120/HD320 Double Cylinder Deadbolt  
Deadbolt operated by key from either side.
- GD192/HD392 Communicating Deadbolt  
Deadbolt operated by thumb-turn from inside only;  
blind rose on the outside.

Backset	Function	Item No.
2-3/8" (60mm)	Single Cylinder	GD110B6-finish
2-3/8" (60mm)	Double Cylinder	GD120B6-finish
2-3/8" (60mm)	Communicating	GD192B6-finish
2-3/4" (70mm)	Single Cylinder	GD110B7-finish
2-3/4" (70mm)	Double Cylinder	GD120B7-finish
2-3/4" (70mm)	Communicating	GD192B7-finish

Backset	Function	Item No.
2-3/8" (60mm)	Single Cylinder	HD310B6-finish
2-3/8" (60mm)	Double Cylinder	HD320B6-finish
2-3/8" (60mm)	Communicating	HD392B6-finish
2-3/4" (70mm)	Single Cylinder	HD310B7-finish
2-3/4" (70mm)	Double Cylinder	HD320B7-finish
2-3/4" (70mm)	Communicating	HD392B7-finish

**Thin Door Kits**

Illustration	Thin Door Kits	Item Code
	1-3/8" Door Thickness for GD deadbolt	ECIXG20-32D ECIXG20-32 ECIXG20-10B
	1-3/8" Door Thickness for HD deadbolt	ECIXH40-32D ECIXH40-32 ECIXH40-10B

## CD/LD Deadbolt



CD Series Deadbolt



LD Series Deadbolt

**Application**

For residential or light-duty commercial application.

**Material**


Wrought Stainless Steel Outside and Inside Escutcheons

**Finish**

Satin  
Stainless Steel  
(US32D)




Bright Polished  
Stainless Steel  
(US32)



Oil Rubbed Bronze  
on Stainless Steel  
(US10B)

**Specification**

- Door Thickness: 1-3/4" (44mm) standard  
Thin door and thick door kits available.
- Backset: 2-3/8" (60mm) standard  
2-3/4" (70mm) optional
- Cylinder & Keys: Schlage C Keyway  
Cylinder 5-pin with 2 keys.  
Keying service available.
- Deadbolt: 1" throw with hardened roller pin
- Fully concealed fixing: M5 Thru-bolts
- UL fire rated deadbolt available.

**Door Preparation**

Please go to: <http://www.unisonhardware.com/resources>  
for the latest door preparation templates and installation instructions.

**Functions**

CD110/LD310 Single Cylinder Deadbolt  
Key outside or thumb-turn inside retracts deadbolt.



CD120/LD320 Double Cylinder Deadbolt  
Deadbolt operated by key from either side.



CD192/LD392 Communicating Deadbolt  
Deadbolt operated by thumb-turn from inside only;  
blind rose on the outside.

Backset	Function	Item No.
2-3/8" (60mm)	Single Cylinder	CD110B6-finish
2-3/8" (60mm)	Double Cylinder	CD120B6-finish
2-3/8" (60mm)	Communicating	CD192B6-finish
2-3/4" (70mm)	Single Cylinder	CD110B7-finish
2-3/4" (70mm)	Double Cylinder	CD120B7-finish
2-3/4" (70mm)	Communicating	CD192B7-finish

Backset	Function	Item No.
2-3/8" (60mm)	Single Cylinder	LD310B6-finish
2-3/8" (60mm)	Double Cylinder	LD320B6-finish
2-3/8" (60mm)	Communicating	LD392B6-finish
2-3/4" (70mm)	Single Cylinder	LD310B7-finish
2-3/4" (70mm)	Double Cylinder	LD320B7-finish
2-3/4" (70mm)	Communicating	LD392B7-finish

**Thin Door Kits**

Illustration	Thin Door Kits	Item Code
	1-3/8" Door Thickness for CD deadbolt	ECIXC20-32D ECIXC20-32 ECIXC20-10B
	1-3/8" Door Thickness for LD deadbolt	ECIXL40-32D ECIXL40-32 ECIXL40-10B